

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	111	(media or video) near3 distribution and (cache or buffer or preface or prefix) with (size or length or time) with bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not print \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:15
L2	0	speed match near3 playbck and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:42
L3	13	speed match near3 playback and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:42
L4	627	match\$5 near3 playback and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:43
L5	32	match\$5 near3 playback and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:43
L6	1613	playback and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:44
L7	131	playback same (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 16:44

L8	37	playback and (preface or prefix) near3 size and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:04
L9	163	(preface or prefix) near3 client and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:05
L10	4	(preface or prefix) near3 client and (video or media) near distribution and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:10
L11	136	(preface or prefix or cache or buffer) with (video or media) with client and (video or media) near distribution and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:11
L12	0	STB near5 cache and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:18
L13	0	STB near5 cache\$6 and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:18
L14	2	STB near5 cach\$6 and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 17:18

L17	13	(US-20080209067-\$ or US-20010044835-\$ or US-20030172134-\$ or US-20030163478-\$ or US-20020194310-\$ or US-20020007418-\$ or US-20030016630-\$ or US-20040148634-\$ or US-20030037331-\$).did. or (US-6848004-\$ or US-6868452-\$ or US-5568181-\$).did. or (WO-03007171-\$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2010/04/09 18:37
L18	0	12 and multicast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 18:37
L19	0	12 and multicast\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 18:37
L20	2	17 and multicast\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 18:37
S1	5768	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23
S2	300	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23
S3	129	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5 and network\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:23

S4	90	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 same stream\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:48
S5	295	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:52
S6	241	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:54
S7	169	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:55

S8	72	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and download	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 12:58
S10	126	(@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:01
S11	13	(real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:04
S12	507	(real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:06
S13	5979	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:07

S14	215	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or preload\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:08
S15	141	(real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 13:15
S16	548	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 15:07
S17	232	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 15:10
S18	2128	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:40

S20	194	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre- buffer\$4 or pre fetch\$4 or pre- fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:41
S21	39	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre- buffer\$4 or pre fetch\$4 or pre- fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:42
S22	477	(preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre- buffer\$4 or pre fetch\$4 or pre- fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:52
S23	137	(prefix or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 10:56
S31	13	(real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53

S32	507	(real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S33	5979	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S34	215	(real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S35	141	(real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S36	548	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53

S37	232	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S38	210	(S31 or S32 or S33 or S34 or S35 or S36 or S37) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:53
S39	90	(S31 or S32 or S34 or S35 or S36 or S37) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 13:56
S40	1116	(bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 15:09
S41	138	(bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (streaming) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 15:09
S42	3	"6601009".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/28 12:37

S43	1631	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with media	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 15:54
S44	125	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 15:55
S45	3	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same (media near4 distribution) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 16:15
S46	661	(bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) and media near4 distribution and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 16:22

S47	48316	(bandwidth or speed or rate) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:10
S48	19303	(bandwidth or speed or rate) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:11
S49	2203	(bandwidth) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:11
S50	906	(bandwidth) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:11

S51	42	(bandwidth) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (media or video) near3 distribution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:12
S52	34	(variabl\$5 or adjustable or adjusting) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (media or video) near3 distribution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:27
S53	24	(media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:37
S54	26	(media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:44
S55	2	(media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:44

S56	68	(media or video) near3 distribution and (precach\$5 or pre-cach\$5 or pre cach\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 17:58
S59	152	(media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) with (size or length) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 18:11
S60	322	(media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) with (size or length or time) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 18:16
S61	180	(media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 18:18

S62	130	(media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) and bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 18:22
S63	16	(media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) same bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/08 18:23
S64	278	(media or video) near3 distribution and (size or length or time) with bandwidth with (calculat\$5 or determin\$5 or measur\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 12:52
S65	11	(media or video) near3 distribution and (cache or buffer) with (size or length or time) with bandwidth with (calculat\$5 or determin\$5 or measur\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 13:13
S66	321	(media or video) near3 distribution and (cache or buffer or preface or prefix) with (size or length or time) with bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/09 13:16

EAST Search History (Interference)

<This search history is empty>

4/9/2010 7:38:31 PM

C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10708260b.wsp